

# Subject Index

- Aberrant transcription products**, 586
- Acid-labile alpha interferon**, functional capacities of, 75
- Acquired immune deficiency syndrome**, *see* **AIDS**
- Adenovirus**, characterization of, from **AIDS** patients, 161-74
- Africa**, **AIDS** in, 264-69
- African swine fever**, 270-71
- AIDS**
  - agents of, general features of, 115-16
  - analogies to defects in, 11
  - considerations in search for cause of, 270-72
  - cytomegalovirus frequency and, 8-15
  - cytomegalovirus role in, 320-24
  - definition of, 39, 578
  - disease patterns associated with, 101-2
  - emotional aspects of, 300-302
  - in Haiti, specific aspects of, 254-63
  - in hemophilia, 466-71
  - hepatitis B as model for, 100-101
  - herpesvirus in, 200-206
  - immunodeficiency relationship to extent of, 364-72
  - individual responses to, 276-78
  - infectious complications of, 383-93
  - interferon role in, 65-75
  - management of, 579
  - multifactorial model for, 177-83
  - prodromal syndromes in, 184-91
  - recreational drug use, relationship to, 192-99
  - slow viruses and, 576-607
  - social factors and, 291-94
- See also* **Pediatric AIDS**
- AIDS agents**, nonspecificity of, 177-83
- AIDS-associated malignancies**, therapeutic problems of, 454-60
- AIDS patients**
  - adenovirus isolates from, characterization of, 161-74
  - categories of, 39
  - clinical follow-up of, 523
  - discrimination against, 303-5
  - drug abuse by, 192-99
  - generalized lymphadenopathy in, 403-5
  - host defense mechanisms of, 40
  - immune status of, 28-38, 228-37
  - immune system of, interleukin regulation of, 535-39
  - immunological studies of, 513-17
  - interferon-cytomegalovirus, relationship in, 71-72
  - interferon frequency in, 67-68
  - malignancies in, 421-30
  - natural killer cell activity in, 34
  - natural killer cell deficiency in, 203-4
  - non-Hodgkin's lymphoma in, 412-19
  - prior cytomegalovirus infection in, 321
  - prodromal symptoms in, 28
  - support for, 305-7
  - susceptibility to opportunistic infections among, 39-49
  - T-cell abnormalities in, 65-66
  - wasting syndrome in, 186-87
- Alutian disease**, of mink, 111-13
- Allogeneic T lymphocytes**, in **AIDS** susceptibility, 49-57
- Alpha interferon**, 30
  - in Kaposi's sarcoma, 439-46
  - toxicity of, 443
- Amebiasis**, 210
- Amyl nitrates**
  - immunosuppression and, 77
  - Kaposi's sarcoma and, 194
  - mutagenicity of, 195
- Amyloidosis**, 123
- Anemia**, frequency of, 189
- Angina pectoris**, 196
- Anogenital sex**, as **AIDS** risk factor, 53
  - See also* Insemination, rectal; sexual behavior
- Antibodies**
  - adenovirus production from, 166
  - high prevalence of, to Epstein-Barr virus antigens, 5-6
  - lymphoproliferative diseases and, 175-76
  - microtubular, in Epstein-Barr virus infections, 7
- Antigens**
  - hypersensitivity responses to, 365
  - T-cell blastogenic responses to, 521-22
  - viral
    - immunoassays for, 133-34
    - in Kaposi's sarcoma, 201
- Antiinterferons**, indicator cultures treated with, 520
- Antinuclear antibody titer**, in lymphadenopathy patients, 210
- Anti-OVA antibody**, serum suppressor factor and, 22-24

Australia antigen, 100  
 Aplastic anemia, marrow transplantation for, 168  
 Asialo GM1 antibodies, T-cell ratios and, in prostitutes, 568-75  
 Autoantibodies, to T-cells, 508-12  
 Autoimmune lymphocytic thyroiditis, 498  
 Autotoxicity, 583  
 Autovirulence, 583-84

**B**acterial siderophores, transferrin competition with, 103  
 Bathhouses, 296-97  
 B-cell hyperactivity, in lymphadenopathy, 209-10  
 B-cell system hyperplasia, subsiding of, during AIDS progression, 78  
 Belgium, AIDS in, 264-69  
 Bereavement, 288  
 Beta-2 microglobulin, AIDS diagnosis using, 526-29  
 Biological modifiers, alpha interferon as, 30  
 Biopsies, of lymph nodes, 241, 248  
 Bisexuality, as AIDS risk factor, 53  
 Blood, screening of, 472-73, 482-83, 487-88  
   thymosin and, 98  
 Blood banks, in Israel, 485-86  
 Blood count, in lymphadenopathy patients, 209  
 Blood donors, viral antibodies and leukocyte abnormalities among, 472-84  
 Blood donor system, AIDS impact on, 487-92  
 Blood transfusion recipients  
   AIDS in, 466-71  
   as AIDS risk group, 39-40  
 Blood transfusions, in studies of Haitians, 256  
 B lymphocytes  
   as Epstein-Barr virus receptors, 1, 3-4  
   studies in homosexuals of, 351, 353-54  
 Brain, lymphoma of, 458  
 Buccal fluid, 15  
 Burkitt's lymphoma, 3, 7  
   as associated AIDS disease, 457  
   demographic statistics regarding, 419  
 Butyl nitrites  
   immunosuppression and, 77  
   Kaposi's sarcoma and, 194

**C**ancer  
 causes of, oncogene research and, 150-60  
 immunotherapy and, 76

Canine parvovirus, 113  
 Cell colonies, transformed  
   detection of hepatitis B in, 133  
   hepatitis B synthesis by, 135-37  
 Cell-mediated immunity, Aleutian disease and, 112  
 Cellular affinity chromatography, peripheral T-cell population separated with, 234  
 Cellular homologues, of retroviral oncogenes, 152-53  
 Cellular immune responses, to cytomegalovirus, 203-4  
 Cellular immunity  
   immune complexes suppression of, 16-27  
   longitudinal study of, 559-62  
 Cell viability, soluble suppressor factors effect on, 521-22  
 Centers for Disease Control, AIDS defined by, 39  
 Central Africa, AIDS in, 264-69  
 Central nervous system  
   infections of, 390-91  
   lymphoma of, 458  
 Chemotherapy, anticancer, AIDS problems with, 455  
 Children  
   AIDS in, 340-49  
   peripheral blood lymphoma and, 495-96  
   thymosin levels and, 91-92  
   Epstein-Barr virus incidence in, 1-2  
 Cholera, hog, 272  
 Chromosomal translocation, oncogene activation by, 154-55  
 Circulating immune complex assay, 352, 570  
 CMV, *see* Cytomegalovirus  
 Cocaine, 197  
 Cofactors, noninfectious, in AIDS susceptibility, 49-57  
 Cohen's ethanol fraction, 104  
 Content-specificity, 583  
 Cryoglobulins assay, 352  
 Cryoprecipitate, hemophiliacs and, 489  
 Cryptosporidiosis, 330  
 Cytokines, lymphoid cell impaired production of, 370  
 Cytomegalovirus  
   AIDS and frequency of, 8-15, 178  
   as AIDS complication, 389  
   AIDS, role of, 320-24  
   antibody prevalence to, 476  
   cellular immune responses to, 203-4  
   fibroblast multiplication of, 352  
   interferon relationship to, in AIDS patients, 71-72  
   Kaposi's sarcoma and, 589-90  
   lymphadenopathy and, 210  
   in macaque monkeys, 121-30

- thrombocytopenia and, 64
- Cytomegalovirus-induced immunosuppression, 8-15
- Cytomegalovirus mononucleosis, renal transplant infection and, 8-10
- Cytopenia, frequency of, 189
- Cytotoxic cell activity, deficiency of, 204
- Cytotoxic lymphocytic response, against allogeneic cells, 9

## Dermatitis, pediatric AIDS and, 344

- Diarrhea, 209
  - chronic, observed in Haitian patients, 257
  - cryptosporidiosis as cause of, 330
- Disability programs, for AIDS patients, 305-7
- Disease models, parvovirus as, 110-13

## DNA

- fiber gene, hemagglutinin alteration and physical changes in, 164-65
- hybridization techniques for, adenovirus detection and, 170
- DNA genomes, single-stranded, as parvovirus feature, 110

## Drug abusers

- as AIDS risk group, 39-40, 58, 299
- immunologic system of, 196-97
- lymphadenopathy in, 410

## Drugs

- Haitians' use of, 261
- recreational, AIDS relationship to, 58, 192-99

## Duncan disease, 3

- Dysentery, 209

## Early antigen, Epstein-Barr virus and, 3

- EB virus, *see* Epstein-Barr virus
- Emotional aspects of AIDS, 300-302
- Endotoxin, 84
- E-negative cells, staining and culture of, 240-41, 245-48
- Enteritis virus, 113
- Epidemiological associations, in low-incidence area, 544-48
- Epstein-Barr virus
  - counterpart chronic cytomegalovirus to, 13
  - immunological control of, 1-7
  - infectious mononucleosis, relationship to, 2, 3
  - lymphadenopathy, immune status and, among homosexuals, 238-53
  - primary infection of, 1-2
  - as principal AIDS causative agent, 588-90

- reactivation incidence of, 249-50
- regression assay for, 240
- sabotage factors in, immune modification by, 590-92
- spread mechanism of, 1, 7
- T-cell leukemia-lymphoma virus III comparison with, 601-3
- Erythropoietic colony formation, parvovirus inhibition of, 115

## Factor VIII

- in AIDS risk, 593
- hemophilia and, 466-71
- Families of AIDS patients, 307
- Federal government, response to AIDS crisis by, 294-95
- Feline panleukopenia virus, 113
- Ferritin, serum, 102-3
- Fetus, thymus gland removal from, 494
- Fiberoptic bronchoscopy, 461-62, 464, 465
- Fibroblasts
  - beta interferon synthesized by, 65
  - cytomegalovirus multiplication in, 353
  - HSV-1 infected, interferon alpha generation and, 41-44
- Fibrosis, retroperitoneal, 123
- Follicular hyperplasia, 411
- France, AIDS in, 228-37
- epidemiological aspects of, 334-39

## Gallium scans, for lymphadenopathy, 411

- Gammaglobulinemia, infectious mononucleosis relationship to, 5
- Gamma globulin levels, thrombocytopenia and, 60
- Gamma interferon, 8-9
  - in Kaposi's sarcoma treatment, 427
- Gastrointestinal complications in AIDS, 391
- Gay community, AIDS response by, 278-80
- Gay Men's Health Crisis, Inc. (New York), 290
- Generalized lymphadenopathy, 400-411
- Genes, transforming
  - of acute retroviruses, 150-51
  - of human tumors, 155
- Genomes, retroviral, structure of, 150
- Gonorrhea, 279-80, 283-84
- Government, federal, response to AIDS crisis by, 294-95
- Granulocytes
  - as principal cytomegalovirus source, 13-14
  - preservation of function of, 79
- Greater New York Blood Program, screening procedure of, 472-73, 482-83

- H**  
**Haiti**, AIDS in, specific aspects of, 254-63  
**Haitians**  
 AIDS among  
   social questions involving, 302-3  
   update on, 325-33  
   as AIDS risk group, 39-40  
   sexual habits of, 256  
 Hashimoto's disease, 498  
 Hassall's corpuscles, destruction of, thymosin relationship to, 93  
 Health care workers, AIDS and, 420  
 Helper/suppressor T-cell ratios, thrombocytopenia and, 60  
 Hemagglutinin  
   alteration of, fiber gene DNA changes and, 164-65  
   serotyping of, adenovirus and, 163-64  
 Hemophilia  
   AIDS in, 466-71  
   in infants, pediatric AIDS and, 344  
 Hemophiliacs  
   as AIDS risk group, 39-40  
   cryoprecipitate and, 489  
   immune evaluation of, 540-43  
   thymosin in early diagnosis of, 88-89  
 Hepatitis B  
   as cause of AIDS, 102  
   clones, purification of, 131-32  
   core antigen of, antibody prevalence to, 474-76  
   detection in transformed cell colonies of, 133  
   detection in transformed mouse L cells of, 137-46  
   epidemiologic lessons from, 100-105  
   host responses to, 101  
   intracellular location of, 137  
   lymphadenopathy and, 190  
   in lymphadenopathy patients, 210  
   as model for AIDS, 100-101  
   synthesis of, as chronic infection molecular model, 131-49  
 Heroin, 196-97  
 Herpesvirus, 309  
   as AIDS complication, 389-90  
   AIDS and, 200-206  
 Heterosexuals, AIDS risk factor among, 39-40  
 HLA alloantigens, in AIDS susceptibility, 49-57  
 Hog cholera, 272  
 Homophobia, 275-76  
 Homosexuals  
   AIDS development in, multifactoral model for, 177-83  
   as AIDS risk group, 39-40  
   asymptomatic, immune derangements in, 549-53  
   cellular immunity in, longitudinal study of, 559-62  
   cytomegalovirus among, 320-21  
   cytotoxic T-cell activity in, 206  
   drug use by, 192-99  
   epidemiologic associations with, in low-incidence areas, 544-48  
   generalized lymphadenopathy in, 400-411  
   idiopathic thrombocytopenic purpura in, 58-64  
   immune potential of, reduction of, 50-52  
   immune status of, 28-38  
   immune system in, interleukin regulation of, 535-39  
   immunologic abnormalities among, in New York City, 312-19  
   lifestyle of, AIDS and, 273-82, 295  
   lymphadenopathy, immune status, and Epstein-Barr virus infection in, 238-53  
   natural killer cell activity in, 34  
   thymosin in early diagnosis of, 88-99  
   venereal disease among, 279-80, 283-84  
   viral and immunologic abnormalities in, 350-63  
 Hormones, thymic, trials with, 80  
 Host defense mechanisms, AIDS patients and, 40  
 Human cells, *onc* related genes of, 154  
 Human T-cell leukemia  
   nonhuman primate T-lymphocytes and, 563-67  
   retrovirus involvement with, 28-38  
   seroepidemiology of, 175-76  
 Humoral immune responses, 504  
 Hypergammaglobulinemia, 5, 249  
 Hyperplasia, reactive, AIDS development from, 211  
 Hypertension, 467
- I**  
**IM**, see Infectious mononucleosis  
 Immune complexes  
   cellular immunity suppressed by, 16-27  
   suppression of resistance to *Listeria* by, 19-24  
 Immune deficiency, stress as prodrome to, 286-89  
 Immune deficiency-associated virus, retrovirus involvement with, 28-38  
 Immune derangements, in asymptomatic homosexuals, 549-63  
 Immune function, interferon effect on, 435  
 Immune response, to cytomegalovirus, 203-4  
 Immune status  
   of AIDS patients, 228-37  
   lymphadenopathy, Epstein-Barr virus and, 238-53

- Immune system, interleukin regulation of, 535-39
- Immunodeficiency syndrome  
  pediatric AIDS and, 342-43  
  transmission of, in macaque monkeys, 125-26
- Immunoglobulin assay, 352
- Immunoglobulins, serum, 240, 245
- Immunologic abnormalities  
  among homosexuals, prospective observations of, 350-63  
  among New York City homosexuals, 312-19
- Immunologic studies  
  AIDS extent and, 364-72  
  in AIDS patients, 513-17
- Immunosuppression  
  from allogeneic leukocyte transfer, 52  
  cytomegalovirus-induced, 8-15
- Immunotherapy, perspectives on, 76-87
- Incubation period, 576
- Indicator cultures, indomethacin and anti-interferon treatment of, 520
- Indomethacin, indicator cultures treated with, 520
- Infants  
  AIDS in, 340-49  
  AIDS symptoms in, 53-54
- Infection  
  as AIDS complication, 383-93  
  breakdown in control of, infectious mononucleosis and, 3  
  of central nervous system, 390-91  
  chronic, hepatitis B as molecular model for, 131-49  
  herpesvirus, AIDS and, 200-206  
  mycobacterial, as AIDS complication, 388-89  
  opportunistic, *see* Opportunistic infections  
  parvovirus, 110-20  
  in pediatric AIDS, 342, 344-45  
  from *Pneumocystis carinii*, 394-99  
  respiratory, 392  
  of skin, in lymphadenopathy patients, 209
- Infectious complications in AIDS, 383-93
- Infectious mononucleosis  
  Epstein-Barr virus relationship to, 2, 3  
  gammaglobulinemia relationship to, 5
- Influenza, 209
- Insemination, rectal, lymphocyte proliferation inhibition from, 503-7
- Interferon, 8-9  
  AIDS role of, 65-75  
  alpha, 30  
    in Kaposi's sarcoma, 439-46  
  circulating, AIDS patients' response to, 70-71  
  cytomegalovirus relationship to, in AIDS patients, 71-72  
  isoprinosine and, 82-84  
  recombinant leukocyte A, in Kaposi's sarcoma, 431-38  
  subcutaneous, 444  
  supernatants in, 206  
  trials with, 81
- Interferon-alpha generating capacity, deficiency of, opportunistic infections and, 39-49
- Interferon-gamma assay, 536
- Interferon-gamma production, stimulation of, 536-37
- Interleukins, 367  
  assay for, 536  
  immune system regulation with, 535-39  
  purified, nitrogen-induced proliferation effects of, 537  
  virus-specific immunity modulation by addition of, 530-34
- Iron, body levels of, serum ferritin and, 102-3
- Isoprinosine, 38  
  interferon and, 82-84  
  trials with, 81-82
- Israel  
  asymptomatic homosexuals in, immune arrangements in, 549-53  
  blood banks in, 485-86
- Italy, risk population in, immunologic studies of, 554-58
- K**aposi, Moriz, 373-74
- Kaposi's sarcoma, 3  
  in Africa, 267, 269  
  AIDS incidence of, 422  
  AIDS and, lifestyle and relationship to, 273-74  
  alpha interferon in, 439-46  
  amyl nitrite use and, 194  
  classical and epidemic forms of, 373-82  
  clinical manifestations of, 375-76  
  cocaine use and, 197  
  cytomegalovirus as cofactor in, 321-22  
  demographic statistics concerning, 374-75, 423  
  diseases associated with, 378-79  
  as dominant neoplasm in AIDS, 417  
  epidemiologic and genetic investigation of, 216-27  
  histogenesis of, 379  
  histopathology of, 377-78  
  initial symptoms and, 189  
  natural history and treatment of, 447-53  
  opportunistic infection in, 447-48

- reasons for cytomegalovirus in, 589-90
- recombinant leukocyte A interferon in, 431-38
- sexual behavior and, 313
- thymosin levels in patients with, 89-91
- vinblastine in treatment of, 449
- viral antigens in, 201
- K562 cells, natural killer cytotoxicity against, 9
- Kidney transplant, cytomegalovirus and, 10
- Kuru, 586, 597-98

- L**
  - Leukemia, human T-cell**
    - retrovirus involvement with, 28-38
    - seroepidemiology of, 175-76
  - Leukocyte abnormalities, presence in blood donors of, 472-84**
  - Leukocytes, alpha interferon produced by, 65**
  - Leukopenia, 113**
    - frequency of, 189
  - Lifestyle, gay, AIDS and, 273-82, 295**
  - Listeria monocytogenes***
    - growth methods for, 18-19
    - immune response and, 16-27
    - as model system, 16-18
    - suppression of resistance to, 19-24
  - Liver function test, Epstein-Barr virus effect on, 6**
  - LMTK<sup>-</sup> cells, cotransfection of, 132-33**
  - London**
    - homosexuals in, cellular immunity in, 559-62
    - lymphadenopathy, immune status, and Epstein-Barr virus in, 238-53
  - Lung capacity, 461**
  - Lymphadenopathy**
    - Aleutian disease and, 112
    - associated virus tropism, AIDS relationship to, 228-37
    - clinical features of, 242
    - generalized, in homosexuals, 400-411
    - hepatitis B and, 190
    - in homosexuals, and immune status and Epstein-Barr virus, 238-53
    - persistent generalized, 185-86
    - prospective study on, 207-15
    - selective tropism of, 233-34
    - T-cell subset reversals and, 97
  - Lymphadenopathy-associated virus**
    - retrovirus involvement with, 28-38
    - as specific AIDS agent, 182
  - Lymph nodes**
    - biopsies of, 241, 248
    - description of, in lymphadenopathy, 208
    - histologic study of, 185-86

- histology of, 402-3
- histopathologic changes in 124-25
- reactive, monoclonal surface immunoglobulin in, 419
- Lymphoblastoid interferon, in Kaposi's sarcoma treatment, 426**
- Lymphocyte blastogenic responses, 366**
- Lymphocyte counts, in homosexual control groups, 232**
- Lymphocyte dysfunction, reversal of cytomegalovirus-induced, 11**
- Lymphocyte proliferation, inhibition of, by sera, 503-7**
- Lymphocytes**
  - assay for, 550
  - gamma interferon released by, 65
  - helper/suppressor ratio in, 357-58
  - pokeweed mitogen responses of, 315
  - separation of, 519
  - surface marker for, 351
  - See also B-lymphocytes; T-lymphocytes
- Lymphocyte subsets**
  - helper/inducer, alteration of function of, 228
  - in prostitutes, 570
- Lymphocytic leukemia, marrow transplantation for, 168**
- Lymphocytic response, against allogeneic cells, 9**
- Lymphokines, 83-84**
- Lymphomas**
  - AIDS incidence of, 422
  - malignant, AIDS association with, 457-58
  - non-Hodgkin's, in AIDS patients, 412-19
  - transmission of, 125
  - See also Burkitt's lymphoma
- Lymphopenia, in pediatric AIDS, 345**
- Lymphoproliferative diseases, 124**
  - antibodies and, 175-76

- M**
  - Macaque monkeys, AIDS in, 121-30**
  - Macrophages**
    - activation of, suppression of, 20-21
    - T-cell interaction with, 83-84
  - Malaria, 594**
  - Malignancies**
    - AIDS-associated, therapeutic problems of, 454-60
    - in AIDS patients, 421-30
  - Malnutrition, 267**
  - Marijuana, immunotoxic effects of, 196**
  - Marrow transplantation, 168**
  - Media, AIDS reporting by, 292, 488**
  - Mice, minute virus of, 113-14**
  - Microtubular antibodies, in Epstein-Barr virus infections, 7**

- Mink, Aleutian disease, 111-13  
Minute virus, of mice, 113-14  
Mitogens  
  proliferation responses to, 29  
  T-cell blastogenic responses to, 521-22  
Molecular hybridization, chronic-acute virus relationship uncovered by, 150  
Monoclonal surface immunoglobulin, in reactive lymph nodes, 419  
Monocyte-macrophage suppressor activity, cytomegalovirus infection increase in, 9  
Monocytes  
  preservation of function of, 79  
  separation of, 519  
Mononuclear cells, peripheral blood, 126  
Mononucleosis, see Cytomegalovirus mononucleosis; Infectious mononucleosis  
Mouse L cell DNA, preparation of, 132  
Mouse L cells, hepatitis B detected in, 137-46  
Multiple logistic regression analysis, 480  
Multiple sclerosis, 597-98  
Muramyl dipeptide, 84  
Mutagenic agents, amyl nitrite as, 195  
*Mycobacterium avium*, infections from, 394-99  
Mycostatin, 189  
Myelocytic leukemia, marrow transplantation for, 168
- N**  
Nasopharyngeal carcinoma, Epstein-Barr virus relationship to, 6  
Natural killer cells  
  activity in homosexuals of, 34  
  alpha interferon and, 445  
  assay for, 30  
  deficiency in AIDS patients of, 203-4  
  functional integrity of, 28-38  
  interferon-alpha generation and, 41-44  
  natural resistance and, 40-41  
Natural killer cytotoxicity, against K562 cells, 9  
Natural resistance, lack of, in AIDS susceptibility, 49-57  
Nezelof's syndrome, 343  
New York City  
  epidemics in, 291-94  
  homosexuals in, immunologic abnormalities among, 312-19  
  prostitutes in, sperm and asialo GM1 antibody levels in, 568-75  
Night sweats, 189  
Nitrite inhalants  
  mutagenicity of, 195  
  pharmacokinetics of, 195-96

- Noninfectious cofactors, in AIDS susceptibility, 49-57  
Nucleotidase activity, in T-cells, 368

## Oncogenes

- activation of  
  by chromosomal translocation, 154-55  
  in human tumor cells, 155  
  encoded protein, identification of, 156-58  
  research on, cancer causation and, 150-60  
  retroviral  
    biologic effects of, 151-52  
    cellular homologues of, 152-53  
Opportunistic infections  
  AIDS patients' susceptibility to, 39-49  
  in Haitian patients, 257  
  interferon role in, 437  
  in Kaposi's sarcoma, 447-48  
  wasting syndrome and, 186-87  
Opportunistic pneumonia, management of, 461-65  
Oroesophageal candidiasis, 257

## Parasitic diseases, 267

- Parvovirus infections, 110-20  
Pediatric AIDS, 340-49  
  autoantibodies to T-cells in, 508-12  
  diagnostic criteria for, 340-41  
  postnatal transmission of, 348  
  symptoms of, 53-54  
  thymosin levels and, 91-92  
Peptides, thymosin and, 92-93  
Peripheral blood leukocytes, in blood donors, 476-80  
Peripheral blood lymphocytes, cytomegalovirus mononucleosis and, 8-9  
Peripheral blood mononuclear cell phenotyping, 240, 245  
Peripheral blood mononuclear cells  
  assay for, 519-20  
  separation and mitogen stimulation of, 535-36  
  supernatants of, pokeweed mitogen-driven immunoglobulin synthesis effects of, 520-21  
Persistent generalized lymphadenopathy, 185-86  
Phenotyping, peripheral blood mononuclear cell, 240, 245  
Placental barrier, cytomegalovirus crossing of, 15  
Platelet count, in thrombocytopenia, 58  
Platelets, autoimmune disorder against, thrombocytopenia and, 60-62



- Pneumocystis carinii*  
 cellular and humoral immunity breakdown and, 79  
 infections from, 394-99  
 pneumonia caused by, 385-87, 394-97  
 sexual behavior and, 313  
 thymosin levels in patients with, 89-91
- Pneumonia  
 as AIDS complication, 385-87, 394-97  
 opportunistic, management of, 461-65
- Pokeweed mitogen  
 lymphatic response to, 315  
 reduction in response of, in AIDS patients, 31-34
- Pokeweed mitogen-driven immunoglobulin synthesis, peripheral blood mononuclear cell supernatants effect on, 520-21
- Primary infection, of Epstein-Barr virus, 1-2
- Primates, experimental inoculation of, with human T-cell leukemia virus, 565-66
- Prodromal symptoms  
 AIDS association with, 415  
 in AIDS patients, 28
- Prodromal syndromes, 184-91
- Prodromata, subjects with, T, B, and natural killer cells functional integrity in, 28-38
- Prodrome, interferon system, perturbations in, 78
- Prostaglandins, solid suppressors and, 522
- Prostitutes, sperm and asialo GM1 antibody levels in, T-cell ratios and, 568-75
- Protein  
 adenovirus nonstructured, 171  
 oncogene-encoded, identification of, 156-58
- Psychological behavior, AIDS and, 276-78
- Pulmonary tissue, lymphoproliferative response in, 347-48
- Purpura, idiopathic thrombocytopenic, in homosexuals, 58-64
- Putative mechanisms, AIDS data from, 587-89
- R**  
 Rabbits, rectal insemination of, lymphatic proliferation inhibition from, 503-7
- Radiation therapy, 456
- Ras oncogenes, activation of  
 in human tumor cells, 155  
 mechanism of, 155-56
- Recombinant interferon, 30
- Recombinant leukocyte A interferon, in Kaposi's sarcoma, 431-38
- Rectal insemination, lymphocyte proliferation inhibition from, in rabbits, 503-7
- Rectum, epithelial lining of, 53
- Renal bleeding, 467
- Renal transplant infection, cytomegalovirus mononucleosis and, 8-10
- Renal transplant recipients  
 cancer in, 454  
 Kaposi's sarcoma in, 376
- Respiratory infections, as AIDS complication, 392
- Retroperitoneal fibrosis, 123
- Retroviral genomes, structure of, 150
- Retroviral oncogenes  
 biological effects of, 151-52  
 cellular homologues of, 152-53
- Retroviruses, 28-38  
 acute, transforming genes of, 150-51  
 human exposure to, AIDS development and, 106-9
- Risk groups, 39-40, 53-54  
 definition and classification of, 274
- S**  
 Saliva, Epstein-Barr virus shedding in, 3
- Sardinia, Kaposi's sarcoma in, 216-27
- Scrapie, 586, 597-98, 599-600
- Semen  
 in AIDS susceptibility, 49-57  
 allogeneic, morbidity relationship to, 178  
 cytomegalovirus in, 71  
 rectal introduction of, immunosuppression and, 53
- Seroepidemiology, of human T-cell leukemia, 175-76
- Serological studies, of homosexuals, 352
- Serum acid-labile interferon-alpha, 44
- Serum adsorptions, in rectally inseminated rabbits, 505
- Serum ferritin, 102-3
- Serum immunoglobulins, 240, 245
- Serum interferon activity, measurement of, 352
- Serum interferon assay, 356
- Serum interferon studies, generalized lymphadenopathy and, 405-6
- Serum lysozyme, 366
- Serum parvovirus-like virus, 114-15
- Serum suppressor factor, anti-OVA antibody as, 22-24
- Sexual behavior  
 AIDS and, 53, 273-82  
 modification of, AIDS prevention and, 283-85  
*See also* Insemination, rectal
- Sexual freedom, 287
- Sheep, AIDS-like disease in, 578
- Skin, infections of, in lymphadenopathy patients, 209
- Slow viruses, AIDS and, 576-607
- Social factors in AIDS, 291-94
- Social oppression, 290



Soluble factors, for T-cell dependent immune responses, 518-25  
 Special Session and General Discussion, 290-311  
 Sperm, T-cell ratios and, in prostitutes, 568-75  
 Sperm antibody assay, 570  
 Spirituality, 286, 287  
 Splenomegaly, 189  
 Stress, as prodrome to immune deficiency, 286-89  
 Subcutaneous interferon, 444  
 Sulfonamides, 462  
 Supernatants, interferon in, 206  
 Suprarenal gland, cytomegalovirus in, 14  
 Suppressive phenomenon, *Listeria* and, 19-20  
 Syphilis, 280  
 Systemic lupus erythematosus, 378

## T-cell blastogenic responses, to mitogen and antigen, 521-22

T-cell dependent immune responses, soluble factors for, 518-25

T-cell leukemia-lymphoma virus III  
 Epstein-Barr virus compared with, 601-3  
 human exposure to, AIDS development and, 106-9

## T cells

autoantibodies to, 508-12  
 destruction of, during AIDS progression, 78  
 growth factor of  
   defect in production of, 81  
   thymic hormones and, 82  
 immunoregulatory abnormalities in, cytotoxic cell activity and, 204  
 macrophage interaction with, 83-84  
 nucleotidase activity in, 368  
 ratios in, sperm and asialo GM1 antibodies, 568-75  
 tumors and, 122

## T-cell subsets

alterations in, 9-10  
 cytomegalovirus and, 321  
 enumeration of, in Haitian patients, 258  
 fractionation of, 229-31  
 immune derangements and, 551  
 reversals of, lymphadenopathy and, 97

T-cell surface marker studies, 353

T-cell surveillance, B lymphocyte relationship to, 3-4

T8+ cells, cytomegalovirus infection increase of, 10

T<sub>H</sub> cells, immune response and activation of, 16-27

Throat cultures, cytomegalovirus in, 71

Thrombocytopenic purpura, idiopathic, in homosexuals, 58-64

Thymic factors, in pediatric AIDS, 345

## Thymic hormones

T-cell growth factor and, 82  
 trials with, 80

Thymosin, early diagnostic use of, 88-99

## Thymus

functional status of, during AIDS progression, 78

histopathological changes in, 493-502

Thymus-dependent immune system, AIDS association with, 88

tk DNA, isolation of, 132

T-lymphocyte-adherent cell interactions, 522

## T lymphocytes

allogeneic, in AIDS susceptibility, 49-57  
 cytomegalovirus immunosuppressive capacity on, 8-15

functional abnormality of, opportunistic infection and, 47-48

primate, human T-cell leukemia virus and, 563-67

See also Lymphocytes

T-lymphotropic viruses, retrovirus involvement with, 28-38

Toxicity, of alpha interferon, 443

Toxoplasma encephalitis, 330

Transbronchial biopsy, 463

## Transformed cell colonies

detection of hepatitis B in, 133  
 hepatitis B synthesis by, 135-37

Transfusions, AIDS and, 466-71

## Tuberculosis

as AIDS complication, 388

alpha interferon and, 47

in Haitian patients, 258, 260

## Tumors

depressed T-cell function and, 122  
 human, transforming genes of, 155

## Urine

adenovirus isolate in, 161

cytomegalovirus in, 71

## Vagina, epithelial lining of, 53

VCA, see Virus capsid antigen

Veneral disease, 279-80, 283-84

Vinblastine, in Kaposi's sarcoma treatment, 449

Viral abnormalities, in homosexuals, 350-63

Viral antibodies, presence in blood donors of, 472-84

- Viral antigens
  - immunoassays for, 133-34
  - in Kaposi's sarcoma, 201
- Viral serology, 242-45
- Viral studies, in homosexuals, 239-40
- Viral synergistic effects, AIDS role of, 592-93
- Virus capsid antigen (VCA), Epstein-Barr virus and, 3
- Viruses
  - herpes, AIDS and, 200-206
  - immune response to, suppression of, 16-27
  - isolation of, 351-52
  - slow, AIDS and, 576-607
- Virus-specific immunity, modulation of, 530-34
- Virus tropism, lymphadenopathy associated, AIDS relationship to, 228-37
- Wasting, syndrome of, 186-87
- Whipple's disease, 388
- Women
  - with AIDS, Kaposi's sarcoma in, 329
  - antibody production by, 574
  - prostitutes, sperm and asialo GM1 antibody levels in, 568-75
  - as risk group for AIDS, 53, 305
- Xenogenic cell response, opportunistic infection and, 122
- XLP syndrome, 3

